

525,958

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
11 March 2004 (11.03.2004)

PCT

(10) International Publication Number
WO 2004/021071 A1

- (51) International Patent Classification⁷: **G02C 7/10, 7/12**
- (21) International Application Number:
PCT/CA2003/001324
- (22) International Filing Date: 28 August 2003 (28.08.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/406,306 28 August 2002 (28.08.2002) US
- (71) Applicants and
(72) Inventors: **CASPER, Robert** [CA/CA]; 89 Crescent Road, Toronto, Ontario M4W 1T7 (CA). **WARDROP, Jennifer** [CA/CA]; 150 Bloor Street West, Second Floor, Toronto, Ontario M5S 2X9 (CA). **SPILKIN, Jonathan** [CA/CA]; c/o University Optometric Clinic, 700 University Avenue, Medical Suite 3, Toronto, Ontario M5S 1Z5 (CA). **SOLO, Peter** [CA/CA]; c/o University Optometric Clinic, 700 University Avenue, Medical Suite 3, Toronto, Ontario M5S 1Z5 (CA).
- (74) Agents: **OGILVY RENAULT** et al.; Suite 1600, 1981 McGill College Avenue, Montreal, Québec H3A 2Y3 (CA).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 2004/021071 A1

(54) Title: A DEVICE FOR THE PREVENTION OF MELATONIN SUPPRESSION BY LIGHT AT NIGHT

(57) Abstract: The present invention provides a device for inhibiting melatonin suppressing light from reaching the retina. The device having means for selectively blocking light having a wavelength capable of suppressing melatonin production in a human.

BEST AVAILABLE COPY

A DEVICE FOR THE PREVENTION OF MELATONIN SUPPRESSION BY LIGHT AT NIGHT

FIELD OF THE INVENTION

5 The present invention relates to a device for inhibiting melatonin suppressing light and in particular to a device for preventing the suppression of melatonin levels that normally occurs upon exposure to broad spectrum wavelength light at night.

BACKGROUND OF THE INVENTION

10 A form of environmental pollution that has attracted recent interest is light pollution, in the form of light trespass, up-light that obscures the night sky and glare or side-light that blinds at night. In addition, there is recent evidence that exposure to light at night may have detrimental effects on the health of both animals and humans. Melatonin secretion from the pineal gland has been implicated in the etiology of these adverse health effects of night light exposure.

15 Melatonin, *N-acetyl-5-methoxytryptamine*, is the principal hormone of the pineal gland, and mediates many biological functions, particularly those that are controlled by the duration of light and darkness. Melatonin is synthesized from tryptophan through serotonin, which is N-acetylated by the enzyme n-acetyl transferase or NAT, and then methylated by hydroxyindol-O-methyl transferase. The enzyme NAT is the rate-limiting enzyme for the synthesis of melatonin, and is increased by norepinephrine at the sympathetic nerve endings in the pineal gland.
20 Norepinephrine is released at night or in the dark phase from these nerve endings. Thus, melatonin secretion is controlled mainly by light and dark phases.

The secretion of melatonin in the human is circadian, with high levels at night and low levels in the morning. The light/dark cycle is a pervasive and prominent *Zeitgeber* of the regulation of circadian timing system: in the presence of light, the output from the Retino-Hypothalamic Tract
25 inhibits the melatonin synthesis, whereas darkness stimulates it.

Like myriads of circadian rhythms in mammals (drinking and feeding, wake-sleep cycle, temperature, cortisol, corticosterone etc.), the melatonin rhythm is generated by an endogenous pacemaker located in the anterior hypothalamic suprachiasmatic nuclei (SCN). In humans, the circadian rhythm for the release of melatonin is closely synchronized with the habitual hours of
30 sleep. Typically, melatonin secretion starts at 2100 hrs (9pm) and increases to a peak at 0200 hr

(2am) and then falls to a nadir about 0600 hr (6am). However, a curious characteristic of the melatonin rhythm is that it can be acutely interrupted by exposure to light. It has been shown that light exposure in the early subjective night delays the timing of the circadian clock while light exposure in the late subjective night advances the timing of the clock. Exposure to light at either time suppresses melatonin secretion.

The melatonin secretion rhythm changes for shift workers, who eventually have a different rise and fall depending on their "normal" time of resting. Travelers through different time zones suffer from so-called jet lag that in most part is related to their circadian rhythm of melatonin being out of synchrony with the local clock time. Light suppression of melatonin can occur very quickly in the dark phase with secretion returning rapidly following the cessation of light. Exposure to light in the middle of the dark period results in suppression of melatonin levels of up to 85%.

All of melatonin's functions have yet to be defined, but this hormone appears to: 1) Synchronize the circadian rhythms of the body, 2) Stimulate immune function, 3) Inhibit growth of cancer cells in vitro, and 4) Reduce the progression and promotion of cancer in vivo.

Some forms of cancer, for example, certain breast cancers and prostate cancers, are hormone dependent. In the test tube, melatonin inhibits the growth of breast tumor cells, and in animals blocks the growth of breast cancer. Melatonin has recently been demonstrated to be a potent antioxidant by scavenging highly reactive hydroxyl radicals, and in vitro protects DNA from free radical damage. This effect is concentration dependent. Antioxidant activity may be one of the ways that melatonin helps to prevent cancers. In animals, removal of the pineal gland can increase the growth of some cancers. Conversely, women with profound bilateral blindness have high melatonin levels and a significantly decreased incidence of cancer of the breast, as described in Hahn RA, Profound bilateral blindness and the incidence of breast cancer, *Epidemiology* 1991;2:208-10.

Clinical studies have demonstrated that shift-workers who work part of, or the whole of the night, in a lighted environment may have increased rates of heart disease and cancer, as described in Kawachi I, et al., Prospective study of shift work and risk of coronary heart disease in women, *Circulation* 1995;92:3178-82 and Hansen J, Increased breast cancer risk among women who work predominantly at night, *Epidemiology* 2001;12:74-7.

Two epidemiologic studies have determined a link between exposure to light at night and an increased risk of breast cancer. In one study described in Davis S, et al., Night shift work, light at night, and risk of breast cancer, *J Natl Cancer Inst* 2001;93:1557-62 case patients with breast cancer (n = 813), aged 20-74 years, were compared with control subjects (n = 793) identified by random-digit dialing and age matched. An in-person interview was used to gather information on sleep habits and bedroom lighting environment in the 10 years before diagnosis and lifetime occupational history. The authors found that breast cancer risk was increased among subjects who frequently did not sleep during the period of the night when melatonin levels are typically at their highest (OR = 1.14 for each night per week; 95% CI = 1.01 to 1.28). Risk did not increase with interrupted sleep accompanied by turning on a light. There was an indication of increased risk among subjects with the brightest bedrooms. Graveyard shiftwork was associated with increased breast cancer risk (OR = 1.6; 95% CI = 1.0 to 2.5), with a trend of increased risk with increasing years and with more hours per week of graveyard shift work (P = .02). The results of this study provided evidence that exposure to light at night may be associated with the risk of developing breast cancer. The authors speculated that exposure to light at night may increase the risk of breast cancer by suppressing the normal nocturnal production of melatonin by the pineal gland, which, in turn, could increase the release of estrogen by the ovaries.

Data from the Nurses Health Study was also analyzed to search for a link between light at night and breast cancer risk. The authors investigated the relationship between breast cancer and working on rotating night shifts during 10 years of follow-up in 78 562 women from the Nurses' Health Study, described in Schernhammer ES, et al., Rotating night shifts and risk of breast cancer in women participating in the nurses' health study, *J Natl Cancer Inst* 2001;93:1563-8. Information was ascertained in 1988 about the total number of years during which the nurses had worked rotating night shifts of three or more days per month. From June 1988 through May 1999, 2441 incident breast cancer cases were documented. The authors observed a moderate increase in breast cancer risk among the women who worked 1-14 years or 15-29 years on rotating night shifts (multivariate adjusted RR = 1.08 [95% CI = 0.99 to 1.18] and RR = 1.08 [95% CI = 0.90 to 1.30], respectively). The risk was further increased among women who worked 30 or more years on the night shift (RR = 1.36; 95% CI = 1.04 to 1.78). The test for trend was statistically significant (P = .02). They concluded that women who work on rotating night shifts with at least three nights per month, in addition to days and evenings in that month, appear to have a moderately increased risk of breast cancer after extended periods of working rotating night shifts.

In all of the clinical studies, the adverse effect of light exposure at night on cancer risk was thought to act through suppression of melatonin levels. A recent study examined the effects of different wavelengths of light on melatonin suppression and phase shifting of the salivary melatonin rhythm in the human, described in Wright HR, and Lack LC, Effect of light wavelength on suppression and phase delay of the melatonin rhythm, *Chronobiol Int* 2001;18:801-8. The wavelengths compared were 660 nm (red), 595 nm (amber), 525 nm (green), 497 nm (blue/green), and 470 nm (blue) and light of each wavelength was administered using light-emitting diodes equated for irradiance of 130 $\mu\text{W}/\text{cm}^2$. Fifteen volunteers participated in all five wavelength conditions and a no light control condition, with each condition conducted over two consecutive evenings. Half-hourly saliva samples were collected from 19:00 to 02:00 on night 1 and until 01:00 on night 2. Light was administered for the experimental conditions on the first night only from midnight to 02:00. Percentage melatonin suppression on night 1 and dim light melatonin onset (DLMO) for each night were calculated. The shorter wavelengths of 470, 497, and 525 nm showed the greatest melatonin suppression, 65% to 81%. The shorter wavelengths also showed the greatest DLMO delay on night 2, ranging from 27 to 36 min. There was much less suppression of melatonin by higher wavelengths, such as red or amber light.

In a rat model, exposure to light of different wavelengths also resulted in similar findings regarding melatonin suppression, as described in Honma S, et al., Light suppression of nocturnal pineal and plasma melatonin in rats depends on wavelength and time of day, *Neurosci Lett* 1992;147:201-4. Effects of light on pineal gland and plasma melatonin were examined in Wistar and Long-Evans rats at the 4th hour into the dark phase (light off from 18.00 h to 06.00 h) using lights of two different monochromatic wavelengths but with the same irradiance. The green light pulse (520 nm) given at 24.00 h suppressed the pineal and plasma melatonin to the day-time level for at least 2 h, while the red light (660 nm) pulse suppressed pineal melatonin only transiently and did not suppress the plasma melatonin at all.

Animal studies, in Benishvili et al, Effect of light/dark regimen on N-nitrosoethylurea-induced transplacental carcinogenesis in rats. *Cancer Lett.*, 2001; Feb. 10; 163(1):51-7, have shown that constant exposure to light significantly promotes transplacental carcinogenesis. Observational studies have associated night-shift work with an increased risk of breast and colorectal cancers as shown in for example Tynes et al., Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control*. 1996 Mar; 7(2):197-204; Hansen, J., Light at night,

shiftwork, and breast cancer risk. J. Natl Cancer Inst. 2001 Oct 17; 93(20):1513-5; and Schernhammer et al., Night-shift work and risk of colorectal cancer in the nurses' health study. J Natl. Cancer Inst. 2003 Jun 4;95(11):825-8. Furthermore, melatonin has been shown to be a free-radical scavenger and antioxidant, and conditions that involve free radical damage may be aggravated by light suppression of melatonin levels (Reiter, Potential biological consequences of excessive light exposure:melatonin suppression, DNA damage, cancer and neurodegenerative diseases. Neuroendocrinol Lett. 2002 Jul; 23 Suppl 2:9-13). These findings suggest that shift-workers may have an increased danger of developing various forms of cancer due to a repetitive exposure to light at night.

Therefore, studies in humans and in rats both demonstrated that different wavelengths of light during the dark phase suppress melatonin levels differentially. White light and short wavelength light (green and blue) suppress melatonin to the greatest degree, while longer wavelengths of light (eg. red) have little or no melatonin suppression. It is therefore desirable to provide an optical filter that selectively blocks light of a wavelength capable of suppressing melatonin levels in a human that can be used by people who are exposed to melatonin suppressing light at peak melatonin production times.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention may be better understood by the attached description and may be further illustrated by the figures, in which:

Figure 1 illustrates the technical characteristics of the yellow lenses described in example 1;

Figures 2A-C illustrates the characteristic effects of bright and filtered light on endogenous melatonin secretion by three male patients, as described in example 1;

Figures 2D-E illustrates the characteristic effects of bright and filtered light on endogenous melatonin secretion by two female patients, as described in example 1; and

Figure 3 illustrates relative values of melatonin secretion during dim-light, exposure to bright-light and exposure to light protected by yellow lenses as described in example 1.

SUMMARY OF THE INVENTION

In a broad aspect the present invention provides a device for inhibiting melatonin suppressing light. The device includes a means for selectively blocking light of a wavelength capable of suppressing melatonin production in a human.

- 5 In one embodiment the present invention provides an optical filter, and the use thereof, designed to prevent melatonin suppression by light at night by preventing light of certain wavelengths, known to maximally suppress melatonin, from reaching the retina of the eye.

- 10 In another embodiment the present invention provides a lens, and the use thereof, that includes an optical filter that selectively blocks light of a wavelength capable of suppressing melatonin production in a human. The lens being suitable for use in eyewear for humans who are exposed to melatonin suppressing light at peak melatonin production times.

In another embodiment the present invention provides a lens having an optical filter that is operable to block light having a wavelength that suppresses melatonin production, and a polarizing layer.

15 **DETAILED DESCRIPTION OF THE INVENTION**

This present invention may be accomplished by various means. The following provides a definition for some of the terms used in the specification:

- 20 Eyewear is used as a broad term to encompass such items as eyeglasses, goggles, contact lenses and the like, that are used in connection with the eyes of a user to either shield/protect the eyes from harmful substances, for example chemicals in the context of goggles or to enhance the eyesight of the user, for example contact lenses. It will be understood that the term "eyewear" is not limited to the above examples, and describes any device used in connection with the eyes that contains a viewing window of sorts.

- 25 Melatonin suppressing light is light that has a wavelength that suppresses the production or secretion of melatonin in a human. Melatonin suppressing light is preferably, but not limited to, light having a wavelength in the green spectrum.

Substantially transmitting, when used in terms of wavelength of light, is defined as transmitting more than 1 percent of the incident radiation at each and every wavelength.

Substantially blocking, when used in terms of wavelength of light, is defined as blocking over 50 percent of the incident wavelength at each and every wavelength.

As discussed above, in one embodiment the present invention provides a device for inhibiting melatonin suppressing light. The device has means for selectively blocking light having a wavelength capable of suppressing melatonin levels in a human. The means for selectively blocking light preferably blocks a sufficient amount of the light, having a wavelength capable of suppressing melatonin level, to result in the prevention of at least about 50% of the melatonin suppression. The device may be, but is not limited to, for example eyewear, a lightbulb, a light cover, a lens, or any other device that may be utilized for the purpose of preventing light of wavelengths that suppress melatonin levels in a human. In use, the device prevents light of wavelengths that suppress melatonin levels from reaching the retina of a human, thereby preventing suppression of melatonin levels in the human.

In another embodiment the present invention provides an optical filter that selectively blocks light of a wavelength capable of suppressing melatonin production in a human. The optical filter preferably blocks a sufficient amount of the light, having a wavelength capable of suppressing melatonin level, to result in the prevention of at least about 50% of the melatonin suppression. Another embodiment of the present invention provides a lens that includes an optical filter that selectively blocks light of a wavelength capable of suppressing melatonin production in a human. The lens being suitable for use in eyewear for humans who are exposed to melatonin suppressing light at peak melatonin production times. As will be understood by a person skilled in the art, the lens may be made from any material that is suitable to be used in eyewear, examples of such material include, but are not limited to, glass or plastic.

In another embodiment the present invention provides a lens having an optical filter that is operable to block light having a wavelength that suppresses melatonin production in a human, and a polarizing layer. The polarizing layer being operable to selectively absorb reflected glare in one direction. It will be understood by a person skilled in the art that the polarizing layer may have any form that is suitable to be used in a lens. For example, the polarizing layer may be a polarized film that can be laminated to the surface of the lens, such as PP10 polarized lens material produced by Polaroid. Other suitable embodiments of the polarizing layer will be known by a person skilled in the art.

In a further embodiment the lens may also include an ultraviolet light absorber laminated to at least one side of the lens or the lens may be treated or coated with an ultra violet filter such as an ultra violet light blocking dye. The ultraviolet light absorber being operable to absorb UV rays and preferably operable to absorb 100% of harmful UV rays.

- 5 The embodiments described above provide a lens that is operable to prevent light of certain melatonin suppressive wavelengths from reaching the retina of the eye.

In another embodiment of the invention, an optical filter may be applied to the surface of an incandescent or fluorescent light bulb to block light of specific short wavelengths from being emitted. The optical filter that is used preferably selectively blocks light of a wavelength capable
10 of suppressing melatonin production in a human.

Another embodiment is the application of an optical filter, to block light of specific short wavelengths, into the semi-opaque lens of a nightlight. The optical filter being capable of selectively blocking light of a wavelength capable of suppressing melatonin production in a human.

- 15 Studies to date have shown that the incidence of breast cancer is increased in night shift workers, an effect attributed to suppression of the night melatonin secretion peak by light exposure. The present invention provides a lens that can be incorporated into eyewear that a night shift worker can wear in order to prevent the melatonin suppressing wavelengths from reaching their retinas. By preventing the melatonin suppressing light from reaching the retina, melatonin will continue
20 to be produced thereby reducing the risks to the worker that are associated with a lack of melatonin production, for example reducing the possible risk of breast cancer.

An alternative embodiment of the present invention is a light cover for use in conjunction with a light source. The light cover may include an optical filter that is operable to selectively block light from the light source having a wavelength capable of suppressing melatonin production in a
25 human. The cover being operable to releasably attach to the light source to channel the light emitted from the light source through the cover. It will be understood by a person skilled in the art that the cover may be any shape or form as long as it is operable to cover the light source that it is to be used with, for example if the light source is an oblong strip light, then the cover is preferably oblong and of a size that will fit around the light source to contain the light source
30 therein. By containing the light source within the cover the light emitted from the light source

must be channeled through the cover, and therefore all light having a wavelength capable of suppressing melatonin production in a human will be blocked.

The light cover may also be permanently attached to the light source, for example the light cover may be a coating on the light source, or the light source may be manufactured from a material that selectively blocks light having a wavelength capable of suppressing melatonin production in a human.

An additional benefit of the invention may include the reduction of the incidence and severity of jet lag in travelers across multiple time zones where out of phase exposure to light may disturb the normal circadian rhythm of melatonin.

The following example illustrates one embodiment of the invention. It will be understood that the present invention is not limited to the example provided.

Example 1

A study was undertaken to measure the impact on melatonin production of one type of yellow lens. A yellow filter lens was provided that allowed selective exclusion of all wavelengths below 530nm while maintaining relatively good color recognition and a visual light transmittance in daylight of approximately 63% and a visual light transmittance in nightlight of approximately 73%. Figure 1 illustrates the technical characteristics of the lenses having an edge at +/- 530nm, and above 530nm filters out approximately 8% of longer wavelengths.

In the study a total of 6 healthy young males and 2 healthy young females (mean age 22.5 ± 1.5) participated. The inclusion and exclusion criteria for this study were implemented to discourage biased data resulting from external factors. All subjects underwent a psychiatric and sleep assessment to rule out significant psychopathology and sleep disruption. All subjects scored less than 7 on the Epworth Sleepiness Scale as described in Johns, A new method for measuring daytime sleepiness. Sleep 1991 Dec; 14(6):540-5, and scored in the normal range on the Morningness/Eveningness questionnaire as described in Horne and Ostberg, A self-assessment questionnaire to determine morningness-eveningness in human circadian rhythms. Int. J. Chronobiol. 1976; 4(2):97-110, a subjective measure of their circadian rhythm. Subjects were rejected if they had experienced sleep and circadian rhythm disorders, excessive daytime sleepiness, eye disease, depression, psychotic illness, a history of cancer, or shift-work in the past year.

During the study, subjects were asked to stay awake overnight at a Sleep Research Clinic for 3 non-consecutive nights over a two-week period. Prior to each night of the study, subjects were asked to complete a previous night sleep inventory (PNSI) to ensure that their quality of sleep was not deficient.

- 5 The first night, melatonin production measured (in saliva) under dim light (<50 lx) conditions established each individual's circadian profile of melatonin secretion, unaffected by light exposure. Saliva specimens provide a non-invasive and practical method for melatonin assessment with high validity as described in Gooneratne et al., The validity and feasibility of saliva melatonin assessment in the elderly. *J. Pineal Res.* 2003 Mar; 34(2):88-94.
- 10 The Dim Light Melatonin Onset (DLMO) test, as described in Lewy et al, The endogenous melatonin profile as a marker for circadian phase position. *J Biol Rhythms.* 1999 Jun;14(3):227-36; Kayumov et al, Exogenous melatonin shifts dim light melatonin onset in post-traumatic delayed sleep phase syndrome. *Sleep* 2002; 25: 18, was used as a marker of circadian phase, and was the time of the first saliva melatonin level to cross the DLMO threshold. The threshold was
- 15 defined as 20% of the maximum raw value of endogenous melatonin.

The subjects spent 12 hours awake from 20:00 h to 08:00h in the sleep laboratory while hourly data was collected. The results of the DLMO testing provided a baseline for comparison of melatonin levels during the other interventions.

- 20 The subjects were randomly assigned to wear the yellow filter lenses incorporated into goggles on either the second or third night. On the alternate night, the subjects were exposed to the bright light without wearing goggles. On all nights, 13 saliva samples were collected at regular one-hour intervals beginning at 20:00 h (8:00pm). Subjects were placed in a well lit room (800 lx) designed to mimic a shift-work environment. The exact luminescence of the rooms was determined using a luxometer.

- 25 Due to individual variability in DLMO and acute phase shifting effects of light on melatonin secretion profiles, the clock time was converted to circadian time (CT). For this purpose, the beginning of melatonin production was referenced by designating the baseline DLMO as CT 14, as described in Ahmed et al, Phase response curve of low-intensity green light in winter depressives. *Sleep Research* 1995; 24: 508. This technique provided the ability to compare the
- 30 hormonal status of each individual at the same circadian time in three different conditions.

Moreover, it was assumed that darkness is an ideal environment for maximum melatonin production and therefore, relative values of melatonin in light conditions (with or without goggles) compared to designated 100% production in the dark were used. Another reason to use relative values was the large interpersonal variability in absolute melatonin levels since it is well
5 recognized that there are low and high melatonin secretors.

Repeated measures analysis of variance (MANOVA) was used to determine the statistical significance of melatonin values in the three different conditions. Statistically significant results detected by analysis of variance ($p < .05$) were further analyzed by using Tukey post hoc paired comparisons using the Statistical Package for the Social Sciences software (SPSS, version 11.5,
10 for Windows.

Saliva specimens were collected using the Sali-SaverTM (ALPCO – American Laboratory Products Company, NH, USA). The Sali-SaverTM consists of a small cotton roll that is placed between the cheek and the gum for 3-5 min in order to collect saliva specimen (up to 2 ml can be collected at a time). Saliva specimens were analyzed immediately after collection of the last
15 sample. Saliva melatonin was determined by Direct Saliva Melatonin ELISA kit from Buhlman Laboratories (Allschwil, Switzerland). Aliquots of at least 200 μ l of centrifuged saliva from each collection time were used for the analysis. Saliva specimens from a given subject were run with the same assay kit. Quality control was assessed by using a low and high melatonin standard included in the kit. Assay functional sensitivity was 1.3 pg/ml, the maximum intra-assay and
20 inter-assay coefficients of variability were 6.5% ($n=12$) and 11.3% ($n=12$), respectively (in the range of concentrations of melatonin between 1 and 81 pg/ml).

The study results showed that all subjects wearing yellow lenses exhibited a melatonin secretion profile similar to their dim light pattern throughout the night. In contrast, bright light drastically suppressed melatonin production. Exposure to bright light and filtered light caused a phase delay
25 in endogenous melatonin secretion, although the latter condition induced a less pronounced shift. Figure 2A-E displays characteristic effects of bright and filtered light on endogenous melatonin secretion in 3 male subjects (Figures A-C) and 2 female subjects (Figures D and E). The results under the dim light condition (■) represent normal melatonin production. All subjects demonstrated preserved melatonin secretion in filtered light (△) similar to the profile obtained in
30 dim light, although there was a noticeable phase delay under both light conditions.

Conversion of the clock time into circadian time reduced samples available for analysis (from 13 to 8): pre-DLMO baselines and CT14 through CT20 melatonin levels. Analysis of variance (MANOVA) showed that suppression of melatonin levels at all data collection points (except at Pre-DLMO) did not occur when yellow lenses were worn (Pre- DLMO $F=4.6$, $p>.05$; CT14 $F=16.4$, $p<.0001$; CT15 $F=19.2$, $p<.0001$; CT16 $F=37.2$, $p<.0001$; CT17 $F=10.4$, $p=.001$; CT18 $F=19.7$, $p<.0001$; CT20 $F=26.3$, $p<.0001$). Figure 3 illustrates relative values of melatonin secretion during dim-light, exposure to bright light, and exposure to light protected by yellow lenses for the entire group.

The data illustrates that wearing light-filtering goggles to block wavelengths less than 530nm allows close to normal melatonin onset and peak secretion in subjects during night-time exposure to bright light.

While the invention has been described with reference to certain embodiments thereof, it will be understood that changes and modifications may be made by those of ordinary skill in the art within the scope and spirit of the following claims.


We Claim:

1. A device for inhibiting melatonin suppressing light comprising:
means for selectively blocking light having a wavelength capable of suppressing
5 melatonin production in a human.
2. A device according to claim 1, wherein the means for selectively blocking light is an optical filter.
- 10 3. A device according to claim 2, comprising the optical filter which includes a polarizing layer.
4. A device according to any one of claims 1 to 3, wherein the means for selectively blocking light is operable to substantially block light having a wavelength less than at or
15 about 530 nm.
5. A device according to claim 4, wherein the means for selectively blocking light is operable to substantially block light having a wavelength of between at or about 470 nm and at or about 530 nm.
- 20 6. A device according to claim 5, wherein the means for selectively blocking light is operable to substantially block light having a wavelength of between at or about 497 nm and at or about 530 nm.
- 25 7. A device according to claim 3, wherein the polarizing layer is a polarizing film.
8. A device according to any one of claims 1 to 7, wherein the device further comprises an ultraviolet light absorber.
- 30 9. A device according to any one of claims 1 to 8, comprising at least one of eyewear, a lightbulb, a light cover and a lens.

10. A lens operable by a user who is exposed to melatonin suppressing light at peak melatonin production times, the lens comprising an optical filter operable to selectively block light having a wavelength capable of suppressing melatonin production in a user.
- 5 11. A lens according to claim 10, wherein the lens is incorporated in eyewear.
12. A lens according to claim 11, wherein the eyewear is selected from the group consisting of spectacles, goggles, contact lenses and safety glasses.
- 10 13. A light device comprising an optical filter operable to selectively block light from the light device having a wavelength capable of suppressing melatonin production in a human.
14. A light device according to claim 13, wherein the light device is chosen from an
15 incandescent light source, a fluorescent light source or any other artificial light source.
15. A light device according to claim 13, wherein the optical filter is a coating on at least one surface of the device.
- 20 16. A light cover for use with a light device, the cover comprising:
an optical filter operable to selectively block light from the light device having a wavelength capable of suppressing melatonin production in a human, the cover being operable to releasably attach to the light source to channel the light emitted from the light source therethrough.
- 25 17. The use of an optical filter for the prevention or the suppression of melatonin production in a human, the filter being operable to selectively block light, having a wavelength capable of suppressing melatonin production, from reaching the retina in a human.
- 30 18. The use of a device for the prevention or the suppression of melatonin production in a human, the device being operable to selectively block light, having a wavelength capable of suppressing melatonin production, from reaching the retina in a human.

1/5

Figure 1



2/5

Figure 2A





Figure 2B



3/5

Figure 2C






Figure 2D




4/5

Figure 2E



5/5

Figure 3



INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 03/01324

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 G02C7/10 G02C7/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 7 G02C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 274 403 A (GOTT GEORGE M) 28 December 1993 (1993-12-28) column 2, line 8 - line 47 ---	1,2,4-6, 9-12,17, 18
A	US 5 083 858 A (GIRERD RENE J) 28 January 1992 (1992-01-28) column 4, line 60 -column 6, line 20 ---	1,2,4-6, 8-12,17, 18
A	US 5 400 175 A (JOHANSEN LAURIE A ET AL) 21 March 1995 (1995-03-21) column 6, line 44 -column 7, line 12 --- -/--	1-12,17, 18

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

5 December 2003

Date of mailing of the international search report

16/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

CALLEWAERT, H

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 03/01324

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>H.R. WRIGHT ET AL: "EFFECT OF LIGHT WAVELENGTH ON SUPPRESSION AND PHASE DELAY OF THE MELATONIN RHYTHM" CHRONOBIOLOGY INTERNATIONAL, vol. 18, no. 5, 2001, pages 801-808, XP008025317 cited in the application -----</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 03/01324

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5274403	A	28-12-1993	NONE	
US 5083858	A	28-01-1992	FR 2645971 A1	19-10-1990
US 5400175	A	21-03-1995	US 5177509 A US 4878748 A	05-01-1993 07-11-1989

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.